EPA Region 5 Records Ctr. 205473

1631210029 LPC 16200006 St. Clair Co. Yvonne Sauget (Trust) ILD 98207361 SE/HRS

. P3

CERCLA
Integrated Site
Assessment



NO

Illinois Environmental Protection Agency

2200 Churchill Road P. O. Box 19276 Springfield, IL 62794-9276 SCREENED

FEB 20 1996

DJH

CONFIDENTIAL

Confidential material may be enclosed.

TABLE OF CONTENTS


1.0 INTRODUCTION	• • • • • • • • • • • • • • • • • • • •
2.0 SITE BACKGROUND	4
2.1 INTRODUCTION	
2.2 SITE DESCRIPTION	4
2.3 SITE HISTORY	4
2.4 APPLICABILITY OF OTHER STATUTES	5
3.0 SITE INSPECTION ACTIVITIES & ANALYTICAL RESULTS	16
3.1 INTRODUCTION	16
3.2 RECONNAISSANCE INSPECTION	16
3.3 SITE REPRESENTATIVE INTERVIEW	
3.4 SOIL/SEDIMENT SAMPLING	
3.5 GROUNDWATER SAMPLING	
3.6 SURFACE WATER SAMPLING	
3.7 ANALYTICAL RESULTS	23
3.8 KEY SAMPLES	24
4.0 IDENTIFICATION OF SOURCES.	28
4.1 INTRODUCTION	28
4.1 INTRODUCTION	:28
5.0 MIGRATION PATHWAYS	30
5.1 INTRODUCTION	3Ó
5.2 GROUNDWATER PATHWAY	
5.3 SURFACE WATER PATHWAY	
5.4 SOIL EXPOSURE PATHWAY	
5.5 AIR PATHWAY	
6.0 BIBLIOGRAPHY	39

<u>APPENDIXES</u>

SITE FOUR MILE RADIUS MAP	A
USEPA FORM 2070-13	В
TARGET COMPOUND LIST	C.
TARGET COMPOUND LIST	D.
WELL LOGS	Ε
IEPA BORING LOGS	F
CENTRACTS POPULATION CALCULATIONS	G
REMOVAL CRITERIA	Η
ANALYTICAL RESULTS	٠I
<u>LIST OF FIGURES</u>	
2-1 VILLAGE OF SAUGET LOCATION MAP	6.
2-2 SITE LOCATION MAP	7
	8
2-4 1962 AERIAL PHOTOGRAPH	9
2-5 1970 AERIAL PHOTOGRAPH	10
2-6 1973 AERIAL PHOTOGRAPH	11
2-7 1976 AERIAL PHOTOGRAFH	12
2-8 1976 AERIAL PHOTOGRAPH	13
	14
2-10 1991 AERIAL PHOTOGRAPH	15
3-1 SOIL SAMPLE MAP	18
3-2 BACKGROUND SOIL SAMPLE MAP.	19
	33
5-2 GENERALIZED GEOLOGIC CROSS SECTION	34
LIST OF TABLES	٠.
3-1 SOIL SAMPLE DESCRIPTIONS	20
3-2 SAMPLE SUMMARY	25`
3-3 KEY SAMPLES	26
5-1 POPULATIONS NEARBY THE SITE	37

6

ស




YVONNE SAUGET (TRUST)

Not to Scale

Yvonne Sauget (Trust) Site — — — — — Village of Sauget Mini Park — — —

Figure 2-2



YVONNE SAUGET (TRUST)

SOIL SAMPLE MAP

Not to Scale

Yvonne Sauget (Trust) Site — — — — Village of Sauget Mini Park — — —

6 3

0


0 6

0 5

9

6

Figure 3-1



YVONNE SAUGET (TRUST)

BACKGROUND SOIL SAMPLE MAP

Yvonne Sauget (Trust) Site

Figure 3-2

3.4 SOIL SEDIMENT SAMPLING

On December 8 and 9, 1992, Illinois Environmental Protection Agency (IEPA) personnel (with the assistance of the drill rig team) collected a total of sixteen soil/sediment samples (see Figures 3-1 and 3-2 for all sampling locations) on site and in the proximity of the site within the areas of suspected contamination. The main objective of these soil/sediment samples was to determine if any USEPA Target Compound List (TCL) contaminants are present at the site or at potential targets of concern. (The Target Compound List n provided in Appendix C of this report.) The following table details individual samples with their locations, depths and physical appearances. (Refer to the analytical data in Appendix I for detection limits associated with each sample point).

Table 3-1 Soil Sample Descriptions

X101	10"-15"	Moist, dark grey clay	East of MTS, Inc.'s main building
X102	18"-24"	1st 12":moist dark grey-black clay; 2nd 12": black tan clay	29' NE of park's SW fence & 115' NW of NW fence
X103	12.5'-17.5'	Wet dark grey to black coarse sand	39.5'W of NE fence & 53'7" S of NW fence
X104	18"-24"	1st 12" light tan sandy clay; 12"-24" dark grey to black silty clay with concrete, brick, debris and gravel	8'10" SSE of NW fence, 11' SW of NE fence

<u> </u>			,
X105	18"	Moist dark grey to black silty clay with small cinders	Residential backyard, 1453 Queeny, 20'9" SW of park 's SW fence, 9'8" E of the most E corner of trailer home at 1451 Queeny
X106	12.5'-15'	Very, wet black fill sand, gravel, asphalt and wood	Center of park; 64'4" E of SW fence, 111' 6" NW of most NE corner park pavilion
X107	18"-24"	Moist tan to black mottled silty clay	Directly beneath W feet of power pole along park's SW fence; 6.5' SE of NW leg & 3.5' NE of SW leg
X108	10'-12.5'	Dark grey clay	11'4" N & 71' NW of electrical pole located in the SE corner of the park
X109	18"	Moist grey to black silty clay w/some cinders	Residential backyard: (1457 &) 1459 Queeny; 20'5" SW of SW park fence, 15'7" SE of most E corner of residential workshop(old garage)
X110	12"-18"	Tan friable silty clay	54'9" E of SW park fence, 18'2" S of most southern corner of park pavilion
X111	18"-24"	Moist tan to black mottled silty clay	Refer to X107

X112	4"-8"	Moist dark grey	S of ball diamond & E of park, 184'2" W of water main standpipe, 75' N of sewer main
X113	12"-18"	Light brown to tan clay, somewhat dry	Extreme S corner of park, 13.5' N of most S corner of the park, from most S fence post
X114	17.5'-20'	Dark grey medium sand to gravel	Center of park, 64'4" E of SW fence, 111'6" NW of most NE corner of park pavilion
X115	18"	Light tan silty sand	Vacant land E of Ogden 68' 4" E of sanitary sewer manhole between Nickel & Queen 111'2" SSW of SW corner of tennis court
X116	18"-24"	Tan to dark grey silty clay	Residential backyard, 1463 Queeny, 8" NW of SE fence, 7' S of NE fence(runs parallel w/ SW park fence

Sample X101 was collected with the use of a shovel. The rest of the above soil/sediment samples were collected with stainless steel trowels for shallow samples and drill barrels and augers for the deep borings. Decontamination of the trowels was done at the IEPA's warehouse prior to and following the sampling portion of the SSI. Decontamination procedures include the cleaning of the equipment with liquid alconex and warm water, rinsing with tap water, rinsing

with a 50% distilled water mixture, rinsing with warm tap water and a final rinsing of distilled water. The trowels and shovel dried on paper towels and were wrapped in aluminum foil.

3.5 GROUNDWATER SAMPLING

There are no known groundwater wells in the vicinity of the Yvonne Sauget (Trust) site, and therefore, no groundwater samples were taken during the CERCLA site inspection for the Yvonne Sauget (Trust) site.

3.6 SURFACE WATER SAMPLING

Approximately one quarter of a mile west of the Yvonne Sauget (Trust) site is an intermittent stream known as Dead Creek. About one and a half miles further west is the Mississippi River. No surface water samples were collected during the December 8 and 9, 1992 CERCLA site inspection.

3.7 ANALYTICAL RESULTS

This section includes a summary of the analytical results of samples collected during the CERCLA site inspection portion of the Integrated Assessment conducted at the Yvonne Sauget (Trust) site in Sauget, Illinois. Chemical analysis of soil/sediment samples collected by IEPA personnel revealed quantified and estimated values of volatiles, semi-volatiles, pesticides, PCBs, heavy metals and common laboratory artifacts. A quality assurance/quality control review was conducted by the Quality Assurance Section of the Division of Laboratory Servicer at the IEPA. Please refer to Table 3-2 for the sample summary, chemical analysis are provided in Appendix I.

YEAR THE T				· · · · · · · · · · · · · · · · · · ·						·		·				
														7		
RD#: 962073611	•				•		TABLE 3-									
		•		. 4			SUMMARY	<i>'</i>				٠.			Sof	
SAMPUNG POINT	X101	X102			•										Beckgound	3116
SALE DING FORM	12-9-92	12-,9-92	X103 12 - 8 - 82	X104	X105	X108	X 107	X108	X109	. X110	X111	X112	X113	. X114 12~ 9~ 82	X115 12-0-92	12-8-9.
			12 - 0 - 64	12-9-02	12-9-02	12-9-12	13-9-23	12-8-92	12-9-92	12~ 9- 92	12-9-92	12-8-82	12-8-92	12- A- M	12-0	
							•				•					
								•								
CLAIRES	Bud	Pr6	BAA	PPB	844	PPB	PM	PFB	B44	PPB	PPB	PP6	PPB	proj	PPB	LLB.
	1001			•												
Aretine 2 - Butenone (MEIQ	.003	401 -	100 B 100 B1		·	1901		3601	, 	1903			\$2 O 1	41 3 J	.130 J	
7 · 12 · 0 · 0 · 1 · 0 · 0 · 0			9 03	- - .										۲ و عد		
•														•	•	
EINVOLATRES	PPB	PPB	PPB	PPB	PFB	PP8	PPE	PPS	PPB	PPB	PPE	Pre		*4	PPB -	- PP8
•											,			**		
3-Minorniline	1000 0 R	1000 Ø R	820 0 R	3800 D R	1000 P	4400 0 R .	1000 0 R	1100 CR	MOOR	910 0 R	1100 0 R	1100 0 R	R 0 OSB	4009 D R	#100 A	1000 0 R
4 - Missentine	1000 0 R	, אריס סרא	BOO O PA	3600 D FL	1000 A R	4400 0 R		1100 0 R	BMO O FI	910 D A	1100 G R	1100 G R	R C CS9	400B D R	PIG O R	1000 0 R
Phenenhrane				20001		470.0 J		· 100.0 J	. 1001			·				
Fluoranthene				460 D J	11007	` :: :		140 0 J	L 0 091	'			÷ =	45.3.1		
Pyrone Disconnistable date				930 0 J	11007	1 0.00s		130 0 J	140.0 J				~-			
Busylbanzylphihadalla Banzo(a)anifracana							·			17007						
Owners				390001		470 0 J		100 0 J	78L0 J							
bid2-Etythanyl)phthalate				3000 J		47003		1000)	10003	בם סבו						
Benzo(b) Suprembleme						~-			20001							
Benzo(k) fuoranthone				300 G J				L 0 00\$						1-		
Benzo(g.h.f)perylune					<u></u>	990.0 J								·		
•					•		•									
	PPE			<u> </u>										×-		***
PESTERES -	PTO	PM	PP6	PPB	PPB	PP C	74-8	PPB	PPB	748	PPB	B44	PPB	~ ~	PP-6	PPB
Delatin	0 52 JP	1	7.30 J	****								_				8.30 P.
4.C-DD	20 JP		23.0 PJ	2100 PJ	2.50 JP		1.30 -	7 50 7.	~~~		130.5	1 30 JP	P 1,60 JP			38 0 PJ
Endrin			24073	360 0 POJ	1201		8.20 J		59 O J		7 5 0 J	1303	1.00.3			
Endowler #	~ - -		120 P	240.0 PD	7 80 P	17 0 JD		2.20 JP	8 10 P		4.10 JP					13 0 P
Endowallan sulle to			3807	2-01-0	,		-•.				1.03			14.0 JD		
4.4-001	4 B PJ	. 4 60 PJ	0 30 PJ	\$40 0 PQJ	12.0 PJ	OL 0 est	A 70 PJ	7.0 PJ	37.0 PJ	. 1.20 JP	P. tioPJ	1,20 P	P '	4300		70 0 PJ
Endrin Kalone	• '	'	4.80 PJ						8.80 PJ							
End-in aldeby do	110	~ •			130 P		7.70 P					20 JP				
alphe-Ottordane						28 0 D										
genne-Chlordene	0.32 JP		0.54 JP	·	2 440 5	22.0 .PO	0.34 JP		0.28 🍱				1	6 80 JPO		. 0 🖦 J
Ander-1018				1200 D	,			·								
Aradot = 1221 Aradot = 1242			300 D P	3100 JPD		340 0 FO		420.0	30.0 P	37 0.P						300.5
Audor-1204	30 O JP	1105	360 0 P		130 D.P.	3800 JPO	340.P	260 0 P	230 0 P	35.0 JP		210 P	6 80 J	540 0 PO		2700 /
Andor-1269	923 0	26 O J	540 0 P	4000 0 PCC		440.0 JD	720P	1100 P	160 0 P	27 0 JP	77.0 P	34 0 J	6 40 1	3800 570		36C 0 P
			7		.3007	*****										
	PPU	FPM										·		100	PPM	PPU
NORCINICS	, mu	FPM	PPM	PPU	PPU	PFM	PPM	FYM	PPM	PPM	PPM	PPM	PPM	2774	1774	m
Aberration .	18500 0	14470 0	2840 0	8400 O	19500 0	9130.0	21700.0		16800 0	10500 0	21500.0	20300.0	12400.0	3040.8	#570.0	16600 0
An artic	8 BO J	7 60 J	. 3801	#20 J	10 40 J	\$ 10 J	9 20 J		7.70 J	470 J	1.002	7.50 J	4,50 J	150 J	6.80 J	0 70 J
Beaum	226 0	208.0	70.40	157.0	247.0	136 0	267.0		280.0	89.30	250.0	22a 0	80.30	84.40	185.0	251 0
Berythum'	, 110 B	1,10 B	0.250 B	0908	1.30	C 42 B	1 30		1.20	0.60.6	1 30	1.30	0.67 B	Q 25 B	0.46 3	1 20 8
Cadrilum	2 10	1,40		120	0.820	1 30	1 50		6.50		2.20	2.80				2 40
Calcsim	7220 0	7190 0	18300 0	58600 0	13000.0	30,000,0	17400.0)	Ø710.0	5330 0	18400.D	13700.0	5090 0	24300 0	10400.0	8140.0
Chorken	21 40	10 20	13 60	79.30	230	13.60	25 60		26 80	. 150	25 50	25.40	15.20	7 #0	. 10.50	21 40
Cobell		11 40 8	3 40 B	7.80 8	11 20	3.50 8	10 70		10 40	7.60 B	13 80	10 80	8.0	2 20 8	4 80	11 20
Copper :	41.00	46 20	21 60	53 90	26 80	23 80	42.80		85.0	140	45.30	76.70	12.90	, 7 90	3 80	38.30
ion '	23300 0	22100 0	13700 0	17400 0	240000	13800 0	26200 0		24300.0	15800 0	26700.0	25600 0	15000 0	6360 0	11500.0	25300 (
load	56.30	39 40	30.8	228.0	26.40	56.0	85 60		138.20 J	10.0	9 1.1	96.10	10 00	, ML10	8.50	81 40
Magnestum	5290 0	5440 0	2610 0	9050 D	8840 D	3670 0	7120 0		5250.0	4270 0	7160.0	6360 0	3643 0	33980 0	8560 P 27% G J	3300 0
Manganese	474 0 J 0 0 / B	8180J 010B	142.0 J 0.00 B	324.0 J	876.0 J	1420 J	725.0 J		508.0 J	495.0 J 0.07 B	000 Q J	522.0 J 0.09 B	002 B	0 05 B	27403	518 G J
Marcury	29 50	0 10 B 26.80	150	0 860 8	. 004 B	007.8	007 B		0.18		0.00 8	0.09 B 31.50	0 03 B 17.20	8 50	. 13.70	25.30
Nichal Description	2000 0	2660 0	15 0 502 0 B	21.80	30.0	15.60	30.70 4000.0		26.90 3430.0	19.40 863.0	. 400	31.5Q 3610 0	922 0	833 0 8	1470 0	27700
Potentim Seemm	.0 42 BJ	0.22 80	~~~	1200 0 0 24 BJ	3550 0 0 15 BJ	2160 0 0.71 8J	4000.0 0 14 ⋅BJ		3430.0 021 BJ	en 0	3990 0 0 18 BJ	3610 G 0 29 BJ	B22 U			017 6
Sever					0.383	u.,, a,	0.00				2 60	2.5				
Ihabum -	0 260 B	0248	·	0 15 BJ	9 27 8		0.23 8		0 16 63		0238	0.21 8			·	0 21 8
Vanarhum	34 90	27 40	10 60	24 80	34.70	22 50	41.10		35 10	31 90	400	41,50	- 30 20	10.80	19 10	29 BQ
òne	196 Q	0 OE1	56 90	21 10 0	1180	1420	300 0	·	2370.0	84 0	0 202	263 0	36 10	45.0	38 90	221 0
Change	*-												21.0			·
	٠.			•				•								
TENTATIVELY IDENTIFED COMPOL	NOS PPB	PPB	nor							NF	NAT	PPB				PPE
	- F70	rv B	PPE	PPB	PPB "	PPB "	~ ~ ; \ \\	PPB	B44	P44	PP8	1778	P718	7775	שייו	
	_															
1	·									120.0.84						
1-ETHYLDENE-1H-INCENE 7-CYCLOHEXEN-1-CL	-		11						· 	1700 JN					120 0 JN	

APPENDIX I

<u>ක</u>

9:0

DATA QUALIFIERS

QUALIFIER	DEFINITION ORGANICS	DEFINITION INORGANICS
U	Compound was tested for but not detected. The sample quantitation limit must be corrected for dilution and for percent moisture. For soil samples subjected to GPC clean-up procedures, the CRQL is also multiplied by two, to account for the fact that only half of the extract is recovered.	Analyte was analyzed for but not detected.
j	Estimated value. Used when estimating a concentration for tentatively identified compounds (TICS) where a 1:1 response is assumed or when the mass spectral data indicate the presence of a compound that meets the identification criteria and the result is less than the sample quantitation limit but greater than zero. Used in data validation when the quality control data indicate that a value may not be accurate.	Estimated value. Used in data validation when the quality control data indicate that a value may not be accurate.
С	This flag applies to pesticide results where the identification is confirmed by GC/MS.	Method qualifier indicates analysis by the Manual Spectrophotometric method.
В	Analyte was found in the associated blank as well as in the sample. It indicates possible/probable blank contamination and warns the data user to take appropriate action.	The reported value is less than the CRDL but greater than the instrument detection limit (IDL).
D	Identifies all compounds identified in an analysis at a secondary dilution factor. If a sample or extract is reanalyzed at a higher dilution factor as in the "E" flag, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and all concentration values are flagged with the "D" flag.	Not used.
E	Identifies compounds whose concentrations exceed the calibration range for that specific analysis. All extracts containing compounds exceeding the calibration range must be diluted and analyzed again. If the dilution of the extract causes any compounds identified in the first analysis to be below the calibration range in the second analysis, then the results of both analyses must be reported on separate Forms I. The Form I for the diluted sample must have the "DL" suffix appended to the sample number.	The reported value is estimated because of the presence of interference.
A	This flag indicates that a TIC is a suspected aidol concentration product formed by the reaction of the solvents used to process the sample in the laboratory.	Method qualifier indicates analysis by Flame Atomic Absorption (AA).
М	Not used.	Duplicate injection (a QC parameter not met).

N	Not used	Spiked sample (a QC parameter not met).
s	Not used.	The reported value was determined by the Method of Standard Additions (MSA).
W	Not used.	Post digestion spike for Furnace AA analysis (a QC parameter) is out of control limits of 85% to 115% recovery, while sample absorbance is less than 50% of spike absorbance.
•	Not used.	Duplicate analysis (a QC parameter not within control limits).
•	Not used.	Correlation coefficient for MSA (a QC parameter) is less than 0.995.
P	Not used.	Method qualifier indicates analysis by ICP (Inductively Coupled Plasma) Spectroscopy.
cv	Not used.	Method qualifier indicates analysis by Cold Vapor AA.
AV	Not used.	Method qualifier indicates analysis by Automated Cold Vapor AA.
AS	Not used.	Method qualifier indicates analysis by Semi-Automated Cold Spectrophotometry.
T	Not used.	Method qualifier indicates Titrimetric analysis.
NR	The analyte was not required to be analyzed.	The analyte was not required to be analyzed.
R	Rejected data. The QC parameters indicate that the data is not usable for any purpose.	Rejected data. The QC parameters indicate that the data is not usable for any purpose.

0 5

9 6

U.S. EPA - CLP 1 INORGANIC ANALYSIS DATA SHEET

EPA SAMPLE NO	EPA	SAMPLE	NO.
---------------	-----	--------	-----

X115

Concentration Units (mg/kg dry weight): CAS No. Analyte Concentration C Q 7429-90-5 Aluminum 6570— 7440-38-2 Arsenic 5.8 S,N 7440-39-3 Barium 185— 7440-41-7 Beryllium 0.48—B 7440-43-9 Cadmium 1.1—U 7440-70-2 Calcium 16400— 7440-48-4 Cobalt 4.8 7440-50-8 Copper 9.6 7439-89-6 Iron 11500— 7439-92-1 Lead 8.5— 7439-95-4 Magnesium 6560— 7439-97-6 Mercury 0.02—U 7440-02-2 Nickel 15.7 7440-09-7 Potassium 1470— 7782-49-2 Selenium 0.11—U 7440-28-0 Thallium 387— 7440-28-0 Thallium 19.1 7440-66-6 Zinc 38.9— Cyanide — 0.95—U	d: 12/10.	ate Received:		· ·		evel (Low
CAS No. Analyte Concentration C Q 7429-90-5 Aluminum 6570 7440-36-0 Antimony 12.9 U N 7440-38-2 Arsenic 5.8 S,N 7440-41-7 Beryllium 0.48 B 7440-43-9 Cadmium 1.1 U 7440-70-2 Calcium 10.5 7440-48-4 Cobalt 4.8 7440-48-4 Cobalt 4.8 7439-89-6 Iron 11500 7439-92-1 Lead 8.5 7439-95-4 Magnesium 6560 7439-96-5 Manganese 279 7440-02-2 Nickel 15.7 7440-02-2 Nickel 15.7 7440-02-2 Selenium 0.11 U 7440-22-4 Silver 1.1 U 7440-23-5 Sodium 387 7440-28-0 Thallium 0.11 U 7440-66-6 Zinc 38.9		\ •	to leallea des voia	tratian II		Solids:
7429-90-5 Aluminum		· — — — — — — — — — — — — — — — — — — —	CS (ME) KE GIY WEIE	icentracion of	Cor	
7440-36-0 Antimony 7440-38-2 Arsenic 7440-39-3 Barium 7440-41-7 Beryllium 7440-70-2 Calcium 7440-47-3 Chromium 7440-50-8 Copper 7439-92-1 Lead 7439-95-4 Magnesium 7440-02-2 Nickel 7440-02-2 Nickel 7440-09-7 Potassium 7440-23-5 Sodium 7440-28-0 Thallium 7440-66-6 Zinc 7440-66-6 Zinc	М	Q	ncentration C	Analyte	CAS No.	•
7440-38-2 Arsenic			6570	Aluminum -	7429-90-5	
7440-39-3 Barium	<u>Р Қ</u>	N	12.9U	Antimony	7440-36-0	
7440-41-7 Beryllium	FMJ	s,N	5.8	Arsenic -	7440-38-2	
7440-43-9 Cadmium 7440-70-2 Calcium 7440-47-3 Chromium 7440-48-4 Cobalt 7440-50-8 Copper 7439-89-6 Iron 7439-95-4 Magnesium 7439-96-5 Manganese 7439-97-6 Mercury 7440-02-2 Nickel 7440-09-7 Potassium 7782-49-2 Selenium 7440-23-5 Sodium 7440-28-0 Thallium 7440-66-6 Zinc 7440-66-6 Zinc	P	· · · · · · · · · · · · · · · · · · ·	185	Barium -	7440-39-3	•
7440-70-2 Calcium	P	· · · · · · · · · · · · · · · · · · ·	0.48B	Beryllium .	7440-41-7	•
7440-47-3 Chromium	P		UU	Cadmium -	7440-43-9	•
7440-48-4 Cobalt	P	·	16400	Calcium	7440-70-2	
7440-50-8 Copper	P		10.5	Chromium	7440-47-3	
7439-89-6	—_P—_		4.8	Cobalt	7440-48-4	
7439-92-1 Lead 7439-95-4 Magnesium 7439-96-5 Manganese 7439-97-6 Mercury 7440-02-2 Nickel 7782-49-2 Selenium 7440-22-4 Silver 7440-23-5 Sodium 7440-28-0 Thallium 7440-62-2 Vanadium 7440-66-6 Zinc 7439-95-4 Magnesium -6560 N -98.5 -98	P	·	9.6	Copper	7440-50-8	
7439-92-1 Lead 7439-95-4 Magnesium 7439-96-5 Manganese 7439-97-6 Mercury 7440-02-2 Nickel 7782-49-2 Selenium 7440-22-4 Silver 7440-23-5 Sodium 7440-28-0 Thallium 7440-62-2 Vanadium 7440-66-6 Zinc 738.9	P	······································	11500	!	7439-89-6	
7439-96-5 Manganese 7439-97-6 Mercury 7440-02-2 Nickel 7782-49-2 Selenium 7440-22-4 Silver 7440-23-5 Sodium 7440-28-0 Thallium 7440-62-2 Vanadium 7440-66-6 Zinc 7440-66-5 38.9	FM	- 	8.5	Lead	7439-92-1	
7439-96-5 Manganese 7439-97-6 Mercury 7440-02-2 Nickel 7782-49-2 Selenium 7440-22-4 Silver 7440-23-5 Sodium 7440-28-0 Thallium 7440-62-2 Vanadium 7440-66-6 Zinc 7440-66-5 38.9	P		6560	Magnesium	7439-95-4	
7439-97-6 Mercury 7440-02-2 Nickel 7440-09-7 Potassium 7782-49-2 Selenium 7440-22-4 Silver 7440-23-5 Sodium 7440-28-0 Thallium 7440-62-2 Vanadium 7440-66-6 Zinc	PJ	N	279		•	
7440-02-2 Nickel — 15.7————————————————————————————————————	AV	```	0.02U			,
7440-09-7 Potassium	P	·····	15.7			
7782-49-2 Selenium - 0.11 U W,N-7440-22-4 Silver - 1.1 U - 7440-23-5 Sodium - 387 U - 7440-62-2 Vanadium - 19.1 - 7440-66-6 Zinc - 38.9	P		1470			
7440-22-4 Silver	$ extstyle _{ extstyle FM}\mathcal{J}$	w.N		1	•	
7440-23-5 Sodium	P		· ,			•
7440-28-0 Thallium	P	<u> </u>		•	,	
7440-62-2 Vanadium ————————————————————————————————————	—_FM—	· •		Thallium -		
7440-66-6 Zinc ————————————————————————————————————	P	· · · · · · · · · · · · · · · · · · ·		·		:
	P					
	——AS—	<u> </u>				
	AS		· · · · · · · · · · · · · · · · · · ·		·	. •
		<u> </u>			·	
	<u> </u>					

IEPA DIVISION of LABORATORIES QUALITY ASSURANCE SECTION

INORGANIC DATA VALIDATION CHECKLIST

C

LO

Site: Yvonne Sauget Trust
Laboratory: IEPA Champaign
SDG: 84
Analytical Protocol: ILM01.0.
Date: February 26, 1993
Reviewer: Chris Bridges
Reviewer Signature:

I. PRELIMINARY REVIEW			
Number Aqueous Samples: N/A Analytes:		, ,	
Number Solid/Soil Samples: 15 Analytes: Trace Metals, Hg, and CN		•	
	ÝES	NO	N/A
A. Chain-of-Custody(ies)Present? Signed? Dated?	$\frac{\frac{X}{X}}{\frac{X}{X}}$		
B. Cover PagePresent? Do sample numbers on cover page agree with sample numbers on:	<u>X</u>	<u> </u>	<u>·</u>
(a) Chain-of-Custody? (b) Form 1s?	$\frac{X}{X}$		
C. Form 1 (Final Data) Are all Form 1s present and complete? Are correct units indicated on Form 1s (ug/1-waters & mg/kg-soils) Are soil sample results corrected for percent solids (dry weight)? Are sample results < IDL reported as the IDL (U)? ACTIONS: NONE	$\frac{\frac{X}{X}}{\frac{X}{X}}$	<u>-</u>	
II. HOLDING TIMES & PRESERVATION		. :	
Mercury (28 Days) Cyanide (14 Days) other Metals (6 months) ACTIONS: NONE pH < 2 exceeded? pH < 2 exceeded? exceeded?		$\frac{X}{X}$	
			•
	· · · · · · · · · · · · · · · · · · ·		

III. CALIBRATIONS

A. Initial Calibration Procedures:	•		
And a second blood and a self-project and form	,	÷	
Are acceptable 2 point calibrations present for: ICP?	ŶX	,	
Are acceptable 4 point calibrations present for: AA?	X X X X X X X X X X	. —	
Correlation Coefficient > 0.995?	X		
Cyanide?	$\overline{\mathbf{x}}$,
Correlation Coefficient > 0.995?	\overline{X}		
Mid-Range standard distilled?	$\overline{\mathbf{x}}$		
Are acceptable 4 point calibrations present for: Mercury?	\overline{X}	· ——	
Correlation Coefficient > 0.995?	\overline{X}		
Are acceptable calibrations present for other parameters?			\overline{X}
CTIONS: NONE			
			
		· · · · · ·	
			
		<u> </u>	
B. Initial and Continuing Calibration Verification: All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:	<u>x</u>	$\frac{x}{x}$	
All necessary Form 2s present and complete?	$\frac{X}{X}$	<u>X</u>	
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct frequency? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria?	$\frac{x}{\overline{x}}$	<u>X</u>	
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct frequency? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria?	$\frac{x}{\overline{x}}$	<u>X</u>	
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? IIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) ven samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? IIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) ven samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? IIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) ven samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct frequency? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? TIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) even samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct frequency? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? TIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) even samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct frequeacy? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? TIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) even samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque: wy? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? CTIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) even samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque: wy? Are results reported in the correct units (ug/l)? All calibration verification % Recoveries meet criteria? CTIONS: (Analyte, % Recovery, Sample(s) affected and Qualifications) even samples were analyzed between calibration verifications during the analysis		. .	ever,
All necessary Form 2s present and complete? ICVs and CCVs analyzed at the correct freque:? Are results reported in the correct units (ug/1)?		. .	ever,

	A. Initial an	y Form 3s pres	ent and cor	•		•	YES X	NO	Ň/A
. CTIO	Are resul Were all All ICBs	at correct free ts reported in transcription earned CCBs med	he correct in the correct in the correct in the contains and contains are contains and contains are contains	ited? mination c	riteria?		$\frac{x}{x}$	<u></u>	
		CB/IDL) Sam 109 is qualifie			rications				
		·	-						
						·			
	<u> </u>	·	· · · · · · · · · · · · · · · · · · ·			· _ · .			· .
			· · · · · · · · · · · · · · · · · · ·	<u> </u>				<u>-</u>	
		 	_		·		·		
· 					· · ·				<u> </u>
· 						· _ · _ ·			
	<u> </u>								
	 		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·		٠.	
		•							
					·			<u> </u>	
· 					· · · · · · · · · · · · · · · · · · ·				
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		<u> </u>				· · ·
·							:		
									
									
			 	 			·		
	,			···					
							···		
-	•								

C). C)

B. Preparation Blanks

زے

r.;

∵ *∛*

	Was o	ne prepar	ation blank p	prepared f	or:						
			each 20	0 samples	?				<u>x</u>	· .	
	-		each ba	atch?		•			X		
			each m	atrix type	?				<u> </u>		X
	Were p	prep blanl	ks analyzed a	at the corr	ect freque	ncy?	•		X		·. <u>.</u>
	Were p	prep blanl	ks reported in	n the corr	ect conce	ntration w	nits?		. <u>X</u>		
•	Were a	all transcr	iption errors	corrected	1?						X
• .	All pre	p blanks	meet no con	taminatio	n criteria?	<u>)</u>		·		$\overline{\mathbf{x}}$	
ACTION	S: (Analy	ne. (PB/I	DL). Sample	(s) affect	ed. Oualii	fications)				· .	. —
			2, X103, X10). X110.	X111. X	(112.)	K113.	X114
<u> </u>			l 6 are qualif							'-	
	· · · · · · · · · · · · · · · · · · ·									<u>-</u>	
Contami	nation was	s noted in	Ca, Pb, and	Zn howe	ver no dat	a is affec	ted.				• •
	· · ·										15
	•			٠,							
· .			<u> </u>				·.	·			
											
<u> </u>		· · · · · · · · · · · · · · · · · · ·				·					····
·			·		· 				·		
					,		· · · · · · · · · · · · · · · · · · ·	· · · · · ·		· · ·	-
		 `-	<u> </u>	. —	`	 			•	·	
	-					-			· · ·		
					·	· · · · · ·		-			
	- , -		···	<u>.</u>							
 -					 		 -				<u> </u>
			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			·	· · · · · · · ·			
		· · ·				-			.;		
·····			· · · · · · · · · · · · · · · · · · ·		*				 -	 	
		· .			_ 						

V. ICP INTERFERENCE CHECK SAMPLE:

		YES	NO	N/A
•	Form 4 present and complete?	X		<u> </u>
-	Were ICS ran at the correct frequency?	$\frac{x}{x}$		
	Were all transcription errors corrected?			<u>X</u>
•	All % Recoveries of ICSAB Solution +/- 20 % of True Value?	$\overline{\mathbf{x}}$		
	For elements not present in ICSA, is the absolute value of the ICSA result greater than the IDL?		<u>x</u>	<u>.</u>
ACTIO	NS: (Analyte, % Recovery, Sample(s) affected, Qualifications)			
NONE				
		•	•	٠.
		· ·		
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
			 	·
	VI. <u>SPIKE SAMPLE RECOVERY:</u>			
	5 1 1 1 1 2 20	v		•
•	Form 5 present and complete for: each 20 samples? each matrix type?	<u>X</u>	—	· x
	Were all transcription errors corrected?			$\frac{X}{X}$
	Were field blanks used for spike sample analysis?	. —:	$\frac{1}{X}$	
	Were all Matrix Spike % Recoveries within criteria?	 -	$\frac{\overline{x}}{x}$	
ACTION	IS: (Analyte, % Recovery, Sample(s) affected, Qualifications)			
As (66,3	%R) X101. X102, X103, X104, X105, X106, X107, X109, X110, X111,	X112, X	(113, X	114
	X115, X116 are qualified as estimated (J)		٠.	
• .				
Sb (17.0	%R) X101. X102, X103, X104, X105, X106, X107, X109, X110, X111, X	(112, X1	13, X11	14
	X115, X116 are qualified as unusable (R)			
		<u> </u>		·
Mn (142	.6% R) X101. X102, X103, X104, X105, X106, X107, X109, X110, X111	, X112,	X113, X	(114
	X115, X116 are qualified as estimated (J)			<u></u>
Se (40.79	% R) See section IX (Furnace Atomic Absorption QC) of checklist			<u> </u>
<u> </u>		•		
Pb (17.09	% R) Sample result is greater than 4X the spike added so no control limits	apply.	·	
· .			<u> </u>	, ·
 			· ·	
. •			-	

VII. DUPLICATE SAMPLE ANALYSIS: YES Form 6 present and complete for: each 20 samples? each matrix type? Were all transcription errors corrected? Were field blanks used for duplicate analysis? For both AA and ICP when both are used for the same analyte? Were all duplicate analyses differences within criteria? ACTIONS: (Element, Differences, Sample(s) affected, Qualifications) NONE VIII. LABORATORY CONTROL SAMPLE: (Note: LCS not required for aqueous Hg.) Form 7 Present and Complete? Was one LCS prepared and analyzed for: every 20 or fewer water samples? every digestion batch of water samples? every 20 or fewer solid samples? every digestion batch of solid samples? Were all transcription errors corrected? Were all of the Aqueous LCS % Recoveries within criteria? Were all of the Solid LCS % Recoveries within criteria? ACTIONS: (Element, % Recovery, Sample(s) affected, Qualifications) NONE

CX

 \Box

LO

c:

IX. FURNACE ATOMIC ABSORPTION (AA) OC:

	YES	NO	N/A
Did the laboratory utilize duplicate injections for all non-MSA analyses?	<u>X</u>		
Does the GFAA fow chart appear to have been followed for all analyses?		X	
Did the laboratory properly flag the GFAA results on the Form 1s?	X		
ACTIONS: (Analyte, Sample(s) affected, Qualifications)	<i></i>	4 11	٠,
Selenium's matrix spike sample (X!01S) should have been analyzed by MSA and v	vas not.	Ail san	аріс
results for selenium are qualified as estimated (I)			·
		•	
Any results flagged 'W' by the laboratory are qualified as estimated (J)			
	•	,	
X. ICP SERIAL DILUTION:			
A. ICI SERVAD DIBOTION.			
Form 9 present and complete?	<u>X</u>		
Was Serial Dilution analysis performed for:	. ;	. — .	
each 20 or fewer samples?	<u>X</u>		
each matrix type?			X
Were all transcription errors corrected? Were all serial dilution results within criteria?	$\frac{\overline{X}}{X}$		
Were field blanks used for serial dilution analysis?		X	
Were field blanks used for serial diffution analysis.	 ·		
ACTIONS: (Analyte, Sample(s) affected, Qualifications)			
NONE		•	:
	: ;		<u>-i</u>
		· · ·	
		 ,	•
		. .	
		· · ·	
			
	<u> </u>		
	·-··		
			<u> </u>

XI. RAW DATA:

•		YES	NO	N/A
	Digestion Log for flame AA/ICP present?	<u>x</u>		
	Digestion Log for furnace AA present?	X	<u>.</u>	
	Digestion Log for mercury present?	$\frac{x}{x}$		
	Digestion Log for cyanide present?	$\frac{\overline{x}}{x}$		
	Inventory Sheet present?	$\overline{\mathbf{x}}$		
	Weights, dilutions, and volumes used to obtain values present?	X		
	Percent solids calculation present for soils (sediments)?	$\overline{\mathbf{x}}$		
	Are preparation dates present on Digestion Logs?	$\frac{\overline{x}}{x}$		
	Are standards preparation logs present and dated?	\overline{x}		
	Measurement read out records present for:			
C.	ICP?	Х		•
	Flame AA?			X
	Furnace AA?	X		
	Mercury?	x	_	
٤.	Cyanide?	x		
2	other Inorganics?	_		$\overline{\mathbf{x}}$
, -	Are all results with the ICP linear ranges?	\overline{x}		
	Are all raw data to support all sample analyses an QC operations present?	$\frac{\overline{x}}{x}$		
•	Legible?	$\overline{\mathbf{x}}$		
1	Properly labeled?	X		
•				
: · ·	ACTIONS:			
	NONE	. ,	•	
			,	
				_,
		···		
				
•		-		
٠.				
			,	